MATERIAL SAFETY DATA SHEET

PRODUCT NAME:
SINK SEAL

HMIS CODES: H F R P
PRODUCT CODE: 1051 1 0 1 E

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: C-CURE
ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201
EMERGENCY PHONE: (323) 582-0846 INFORMATION PHONE: (323) 582-0846
DATE REVISED: 03-10-03 CONTACT PERSON: STEVE TAYLOR

SECTION II - INGREDIENTS/SARA III INFORMATION

OCCUPATIONAL EXPOSURE VAPOR
LIMITS PRESSURE Wt
COMPONENTS CAS NUMBER OSHA PEL ACGIH TLV mm Hg @ TEMP %
STYRENE BUTADIENE
CO-POLYMER/WATER
DISPERSION PROPRIETARY N/A
NOT A HAZARDOUS MATERIAL AS DEFINED IN TITLE 29 CFR PARTS 1900 TO 1910.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 100 C (212 F) SPECIFIC GRAVITY (H2O=1): 1.08- 1.14
VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: <1 (BUTYL/ACETATE=1)
SOLUBILITY IN WATER: DISPERSIBLE VAPOR PRESSURE: 17.5 mg Hg @70F
APPEARANCE AND ODOR: BRIGHT RED VISCOUS- BLAND ODOR.
MELTING POINT: N/A

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A
EXTINGUISHING MEDIA: N/A
SPECIAL FIREFIGHTING PROCEDURES: WATER FOG-DRIED RESIN ONLY.
UNUSUAL FIRE AND EXPLOSION HAZARDS: AS LATEX, MATERIAL'S NOT COMBUSTILE;
HOWEVER, THE DRIED RESIN IS COMBUSTIBLE SIMILAR TO WOOD. BURNING DRY RESIN
EMMITS DENSE BLACK SMOKE.
FIRE FIGHTING EQUIPMENT: WEAR POSITIVE SELF CONTAINED BREATHING APPARATUS.

SECTION V - REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: NONE
INCOMPATIBILITY (MATERIALS TO AVOID): NOT KNOWN
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: IF DRYED FILM BURNS, IT WILL PRODUCE
CARBON MONOXIDE AND LOW MOLECULAR-WEIGHT ORGANIC COMPOUNDS. ACID)
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
NONE KNOWN
SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
MAY CAUSE IRRATATION.
SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
MAY CAUSE IRRITATION.
HEALTH HAZARDS (ACUTE AND CHRONIC)
ACUTE:MAY CAUSE IRRATATION TO EYES AND SKIN.
CHRONIC: NONE KNOWN
CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO. SIGNS & SYMPTOMS OF EXPOSURE: MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: HYPERSENSITIVE INDIVIDUALS MAY DEVELOP ALLERGENIC DERMATITIS. EMERGENCY AND FIRST AID PROCEDURES: INGESTION: SEE PHYSICIAN. EYES: FLUSH WITH WATER. SKIN: FLUSH WITH WATER.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
MATERIAL SHOULD BE
MIXED WITH ABSORBENT MATERIAL AND PLACED IN SUITABLE CONTAINER FOR DISPOSAL.
WASTE DISPOSAL METHOD: DISPOSE OF IN APPROVED LANDFILLS
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
STORE AT NORMAL AMBIENT CONDITIONS

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION: NONE
VENTILATION: LOCAL EXHAUST
PROTECTIVE GLOVES: RUBBER RECOMMENDED
EYE PROTECTION: TIGHT FITTING SPLASH GOGGLES.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:
WORK/HYGIENIC PRACTICES
GOOD HOUSEKEEPING PRACTICES SHOULD BE USED.

SECTION IX – DISCLAIMER

DISCLAIMER
THE INFORMATION PRESENTED IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE. WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR CIRCUMSTANCE.